

>>> GO THE DISTANCE

Look for productivity enhancements and durability when purchasing a new mower.

BY KYLE BROWN



2021 MOWER COMPARISON CHARTS

SPONSORED BY





YOU DON'T COMPROMISE.
**NEITHER SHOULD
YOUR MOWER.**

When your cut is your calling card, you can't compromise. Neither should your mower. With Grasshopper, you get top quality, comfort and durability. And a cut on which you want to put your name.

GRASSHOPPERMOWER.COM



GRASSHOPPER®

Committed to the Cut.®

©2021 The Grasshopper Company





OUR JOB IS TO MAKE SURE OUR MOWERS ARE SPENDING MORE TIME IN THE FIELD AND SIGNIFICANTLY LESS TIME IN THE SHOP."

- BRAD UNRUH, HUSTLER TURF EQUIPMENT

Having a reliable mower is key to keeping your business running, and with higher demand from customers in the past year, it might be time to add to the fleet. New mowers this year continue to build on the standby themes of doing the work more effectively, and contractors are looking to get more features to help with labor issues.

In the past few years, there's been an increased focus on efficiency from contractors in their mower choices, says Lenny Mangnall, product manager for Exmark, Beatrice, Nebraska.

"Whether it's larger decks, more horsepower, less maintenance or increased versatility, we're seeing machines that can do more with less input from the operator," he says.

That comes as a result of having more lawns to mow to increase revenue, as well as a desire by company owners to work with smaller crews, says Brad Unruh, director of new product development for Hustler Turf Equipment, Hesston, Kansas.

"Our job is to make sure our mowers are spending more time in the field and significantly less time in the shop," Unruh says.

Ride comfort continues to also be a key trend, says Nick Minas, go-to-market manager for John Deere, Moline, Illinois.

"Another major trend has been fuel, which comes as a result of customers looking for new ways to decrease fuel costs or

exploring alternative fuel options such as diesel," Minas says.

There's been a transition to zero-turns in the past few years as contractors continue to look for performance with comfort remaining a priority, says Dustin Shivvers, marketing manager for Country Clipper, Corydon, Iowa.

"Zero-turn mowers provide increased productivity versus traditional riding mowers," Shivvers says. "Enhanced comfort and features reducing operator fatigue allow more ride time."

For any style of mower, increased equipment productivity and efficiency reduces labor requirements and helps improve the service contractors deliver, Mangnall says.

"As labor continues to be an issue for contractors, getting the available workforce cross-trained on all of their equipment is paramount," he says. "Equipment needs to be easy and intuitive to operate." The fewer adjustments or "tricks" required to get the machine to perform to meet customer expectations, the better.

SPOTTING THE TRENDS

Contractors have been more willing in the past few years to shop outside their "usual" brands and spend more for features that will enhance operator experience and work output, says Shivvers.

Purchasing a mower is an investment where rational buying considerations

should take priority," he says. "Functionality and performance go much further than styling and novelties."

That lines up with what Mangnall is seeing, as contractors are looking for machines that are highly productive, have a low cost of ownership and are easy to train operators on.

Minas has seen contractors' interest continue to grow in machines equipped with electronic fuel injection engines, and uptime and fuel efficiency continue to be the other top concerns.

"Commonly used in smaller block engines, we are now seeing more and more options in the mid-block range and greater," he says.

MAKING THE RIGHT PURCHASE

When purchasing a mower this year, keep in mind that contractors aren't the only ones feeling the squeeze from a labor shortage, says Mangnall. Dealers are seeing increased costs for projects related to service and equipment failures.

"As a result, it's extremely important to pick the right equipment for the job and also choose machines designed to go the distance," he says. "We talk a lot about total cost of ownership, and contractors need to keep in mind that the upfront purchase price of equipment is only about 15% of the total cost of the machine." The balance of that cost lies in expenses like maintenance and parts replacement.

On top of reliable equipment, it's important to consider flexible financing and dependable dealer networks before making a purchase.

Buying equipment with higher service or maintenance requirements will often make the mower more expensive over its lifetime, Mangnall says.

"Having the wrong equipment for the job could also have a cost in customer attrition due to poor performance or an inability to service customers in a timely manner," he says.

Contractors should always look for reliable, heavy-duty mowers that will last and can be serviced by dealers familiar with the equipment, says Unruh.

"Productivity is also a significant factor when selecting the right mower for the job," Unruh says. "Landscapers want their investment to go the distance." 

The author is editor-in-chief of *Irrigation & Green Industry* and can be reached at kylebrown@igin.com.

Thanks to Grasshopper for sponsoring
this year's mower comparison charts.



Editor's note: Information presented in these charts was provided by manufacturers.
Please contact the manufacturer directly for more details.

2021 ZERO-TURN MOWER COMPARISON CHART - RIDER MODELS

Model	Horse-power	Cooling	Forward speed (mph)	Fuel type options	Fuel capacity (gal)	Deck drive - belt/shaft	Width at rear wheels (in.)	Total width (in.) (chute up)	Wheel base (in.)	Overall length (in.)	Curb clearance (in.)	Deck discharge options	Unit weight (lbs)	Width of cut (in.)	Height of cut (in.)
Altroz XR 480, 540	23	air	8	gasoline	5	belt	n/a	49-55	n/a	77	n/a	side	800-830	48-54	1.5-4.25
Altroz XE 540, 610	24	air	9	gasoline	10	belt	n/a	55-62	n/a	80	n/a	side	930-970	54-61	1.5-4.25
Altroz XPHD 540, 610, 660, 720	27-35	air	11	gasoline	14	belt	n/a	55-73	n/a	85.5-89	n/a	side	1,330-1,415	54-72	1.5-5
Altroz XC 610, 720	31-37	air	19	gasoline	14	belt	n/a	62-73	n/a	85.5-89	n/a	side	1,400-1,500	61-72	1.5-5
Altroz TRX 354, 561, 766	27-37	air	7-10	gasoline	10-14	belt	n/a	55-87	n/a	81-96	n/a	side/rear	1,200-1,600	54-66	2.25-7
BigDog Rex Briggs & Stratton	10.5	air	5	gasoline	2.8 qts	belt	n/a	37.5	n/a	65.5	n/a	side	390	34	1.5-4.5
BigDog Rex Briggs & Stratton	10.5	air	5	gasoline	2.8 qts	belt	n/a	43.25	n/a	65.5	n/a	side	400	42	1.5-4.5
BigDog Alpha Kawasaki FR541	15	air	6.5	gasoline	3	belt	n/a	38.3	n/a	73	n/a	side	465	36	1.5-4.5
BigDog Alpha Kawasaki FR600	18	air	6.5	gasoline	3	belt	n/a	44.4	n/a	73	n/a	side	495	42	1.5-4.5
BigDog Alpha Kawasaki FR691	23	air	6.5	gasoline	3	belt	n/a	53.4	n/a	73	n/a	side	515	52	1.5-4.5
BigDog Alpha MP Kawasaki FR651	21.5	air	7.5	gasoline	3	belt	n/a	37.3	n/a	73	n/a	side	577	36	1.5-4.5
BigDog Alpha MP Kawasaki FR651	21.5	air	7.5	gasoline	3	belt	n/a	44.4	n/a	73	n/a	side	587	42	1.5-4.5
BigDog Alpha MP Kawasaki FR651	21.5	air	7.5	gasoline	3	belt	n/a	49.7	n/a	73	n/a	side	625	48	1.5-4.5
BigDog Alpha MP Kawasaki FR691	23	air	7.5	gasoline	3	belt	n/a	55.7	n/a	73	n/a	side	650	54	1.5-4.5
BigDog Alpha MP Kawasaki FR730	24	air	7.5	gasoline	3	belt	n/a	61.7	n/a	73	n/a	side	670	60	1.5-4.5
BigDog Alpha MPX Kawasaki FR691	23	air	7	gasoline	3	belt	41	49	n/a	73	n/a	side	620	48	1.5-4.5
BigDog Alpha MPX Kawasaki FR691	23	air	7	gasoline	3	belt	46	55	n/a	73	n/a	side	666	54	1.5-4.5
BigDog Alpha MPX Kawasaki FR730	24	air	7	gasoline	3	belt	46	61	n/a	73	n/a	side	671	60	1.5-4.5
BigDog Blackjack Kawasaki FR691	23	air	7	gasoline	3	belt	43.7	48.8	n/a	69.4	n/a	side	755	48	1.5-4.5
BigDog Blackjack Kawasaki FR691	23	air	7	gasoline	3	belt	43.7	54.8	n/a	69.4	n/a	side	770	54	1.5-4.5
BigDog Stout Kawasaki FR681	23	air	8	gasoline	5	belt	47	49.1	n/a	76	n/a	side	855	48	1.5-4.5
BigDog Stout Kawasaki FR691	23	air	8	gasoline	5	belt	52	55.1	n/a	76	n/a	side	860	54	1.5-4.5
BigDog Stout Kawasaki FR730	24	air	8	gasoline	5	belt	52	61.1	n/a	76	n/a	side	880	60	1.5-4.5
BigDog Stout MP Kawasaki FX691	22	air	9	gasoline	5	belt	47	49.1	n/a	73.6	n/a	side	862	48	1.5-4.5
BigDog Stout MP Kawasaki FX691	22	air	9	gasoline	5	belt	52	55.1	n/a	73.6	n/a	side	891	54	1.5-4.5
BigDog Stout MP Kawasaki FX730	23.5	air	9	gasoline	5	belt	52	61.1	n/a	73.6	n/a	side	916	60	1.5-4.5
BigDog Diablo Kawasaki FX850	27	air	10.5	gasoline	11.7	belt	n/a	54.4	n/a	80.2	n/a	side	1,255	52	1-5.5
BigDog Diablo Kawasaki FX850	27	air	10.5	gasoline	11.7	belt	n/a	62.4	n/a	80.2	n/a	side	1,306	60	1-5.5
BigDog Diablo Kawasaki FX850	27	air	10.5	gasoline	11.7	belt	n/a	75.7	n/a	84	n/a	side	1,465	72	1-5.5
BigDog Diablo MP Kawasaki FX850	27	air	14	gasoline	12	belt	n/a	66.3	n/a	89	n/a	side	1,460	60	1-5.5
BigDog Diablo MP Kawasaki FX1000	35	air	14	gasoline	12	belt	n/a	65.3	n/a	89	n/a	side	1,475	60	1-5.5
BigDog Diablo MP Kawasaki FX1000	35	air	14	gasoline	12	belt	n/a	75.3	n/a	93	n/a	side	1,590	72	1-5.5
BigDog Hike Kawasaki FS541 (ES)	15	air	6.3	gasoline	3.4	belt	35	37	n/a	76.7	n/a	side	560	36	1.5-4.5
BigDog Hike Kawasaki FS600 (ES)	18.5	air	6.3	gasoline	3.4	belt	44	49	n/a	75	n/a	side	635	48	1.5-4.5
BigDog Hike Kawasaki FS600 (ES)	18.5	air	6.3	gasoline	3.4	belt	46	55	n/a	75.3	n/a	side	660	54	1.5-4.5
BigDog Hike Kawasaki FS651 (ES)	21.5	air	6.3	gasoline	3.4	belt	46	61	n/a	77.5	n/a	side	695	60	1.5-4.5
Bob-Cat CRZ	21.5-23	air	7	gasoline	6	belt	41-46	43-63	48-51	76-79	n/a	side	684-795	42-61	1.5-4.875
Bob-Cat XRZ/XRZ Pro	21.5-24	air	8	gasoline	6	belt	46-47	49-63	48	76-79	n/a	side	736-817	48-61	1.5-4.875
Bob-Cat XRZ Pro RS	20.5-27	air	10	gasoline	9.5	belt	47-50	49-63	48	76-79	79	side	773-844	48-61	1.5-4.875
Bob-Cat QuickCut 4000	19-26	air	9-10.5	gasoline	5.1-6.5	belt	35-50	35.5-63	48-50	64-67	n/a	side	800-1,028	36-61	1.5-4.5
Bob-Cat FastCat Pro SE	16.5-19	air	0-8	gasoline	9.5	belt	36-50	37-54	47-53	79	n/a	side	705-744	36-42	1.4-8.75
Bob-Cat Predator-Pro 7000	35-37	air	15-19	gasoline	15	belt	56	63-74	54-56	87-89	n/a	side	1,500-1,659	61-72	1.5-5
Bob-Cat ProCat 6000MX	27-29.5	air	12	gasoline	15	belt	53	63	53	83	n/a	side	1,464	61	1-5.5
Bob-Cat ProCat 6000	25.5	air	12	gasoline	15	belt	53	54-63	53	83	n/a	side	1,371-1,421	52-61	1.5-5
Bob-Cat ProCat 5000	23.5-26	air	10	gasoline	11	belt	49-53	49-63	53	83	n/a	side	1,253-1,318	48-61	1.5-5
Country Clipper Avenue	18, 23	air	7		5	belt	43, 45	54, 67	n/a	80	n/a		587-635	42, 54	1.5-4.5
Country Clipper Boulevard	23	air	75		5	belt	47, 49	58, 67, 74	n/a	79	n/a		688-722	48, 54, 60	1.5-4.5
Country Clipper XLT	24, 26	air	8		5	belt	47, 49	61, 65, 73	n/a	79	n/a		805-838	48, 52, 60	1.5
Country Clipper Challenger	24, 25	air	9		7	belt	49	53, 61	n/a	79	n/a		824-834	52, 60	1.5-5
Country Clipper Charger	25.5	air	11		10.25	belt	51, 56	53, 61	n/a	84	n/a		1208-1256	52, 60	1.5-5
Country Clipper Boss XL	31, 35	air	12.5		10.25	belt	58.5	61, 73	n/a	84.5, 87	n/a		1330-1421	60, 72	1.5
Dixie Chopper Zee 2342KQ	23	air	7		4	belt	n/a	51.5	n/a	76	n/a		730	42	1.5-4.5
Dixie Chopper Zee 2348KQ	23	air	7		4	belt	n/a	57.5	n/a	76	n/a		750	48	1.5-4.5
Dixie Chopper Zee 2348KW	23	air	7		4	belt	n/a	57.5	n/a	76	n/a		750	48	1.5-4.5
Dixie Chopper Zee 2354KQ	23	air	7		4	belt	n/a	64	n/a	76	n/a		763	54	1.5-4.5
Dixie Chopper Zee 2354KW	23	air	7		4	belt	n/a	64	n/a	76	n/a		763	54	1.5-4.5
Dixie Chopper Magnum R 2450K	24	air	8		8	belt	n/a	61	n/a	80	n/a		730	50	1.5-4.5
Dixie Chopper Magnum R 2554KQ	25	air	8		8	belt	n/a	61	n/a	80	n/a		730	50	1.5-4.5
Dixie Chopper Magnum R 2460KW	24	air	8		8	belt	n/a	71	n/a	80	n/a		750	60	1.5-4.5
Dixie Chopper Magnum R 2560K	25	air	8		8	belt	n/a	71	n/a	80	n/a		750	60	1.5
Dixie Chopper BlackHawk 2248KW	22	air	9		6.8	belt	n/a	49.2	n/a	81.3	n/a		1,104	48	1-5
Dixie Chopper BlackHawk 2454KW	24	air	9		6.8	belt	n/a	55.4	n/a	81.3	n/a		1,114	54	1.5
Dixie Chopper BlackHawk 2460KW	24	air	10		6.8	belt	n/a	61.9	n/a	81.3	n/a		1,121	60	1.5
Dixie Chopper BlackHawk HP 2248KW	22	air	10		6.8	belt	n/a	49.2	n/a	81.3	n/a		1,116	48	1.5-4.5
Dixie Chopper BlackHawk HP 2548KDE	25	air	10		6.8	belt	n/a	49.2	n/a	81.3	n/a		1,121	48	1.5
Dixie Chopper BlackHawk HP 2454KW	24	air	10		6.8	belt	n/a	55.4	n/a	81.3	n/a		1,132	54	1-5
Dixie Chopper BlackHawk HP 2554KDE	25	air	10		6.8	belt	n/a	55.4	n/a	81.3	n/a		1,138	54	1-5
Dixie Chopper BlackHawk HP 2460KW	24	air	10		6.8	belt	n/a	61.9	n/a	81.3	n/a		1,140	60	1.5
Dixie Chopper BlackHawk HP 2560KDE	25	air	10		6.8	belt	n/a	61.9	n/a	81.3	n/a		1,144	60	1-5

CC: cubic centimeters; D: deflector; MBTC+BB: manual belt tightener clutch and band brake; PTO: power take-off; VB/EM 200: V-belt/electro-magnetic, 200 lb./ft.

◆ To download a copy of these comparison charts, go to www.igin.com/2021-mower-comparison-charts.

2021 ZERO-TURN MOWER COMPARISON CHART - RIDER MODELS

Model	Horse-power	Cooling	Forward speed (mph)	Fuel type options	Fuel capacity (gal)	Deck drive - belt/shaft	Width at rear wheels (in.)	Total width (in., chute up)	Wheel base (in.)	Overall length (in.)	Curb clearance (in.)	Deck discharge options	Unit weight (lbs)	Width of cut (in.)	Height of cut (in.)
Dixie Chopper Eagle 2754KOE	27	air	12	8	belt	n/a	59.6	n/a	88.5	n/a			1,317	54	1-5
Dixie Chopper Eagle 2754KW	27	air	12	8	belt	n/a	59.6	n/a	88.5	n/a			1,306	54	1-5
Dixie Chopper Eagle 2760KOE	27	air	12	8	belt	n/a	66.1	n/a	88.5	n/a			1,333	60	1-5
Dixie Chopper Eagle 2760KW	27	air	12	8	belt	n/a	66.1	n/a	88.5	n/a			1,322	60	1-5
Dixie Chopper Eagle HP 3160KOE	31	air	14	10	belt	n/a	66.1	n/a	87.1	n/a			1,378	60	1-5
Dixie Chopper Eagle HP 3160KW	31	air	14	10	belt	n/a	66.1	n/a	87.1	n/a			1,386	60	1-5
Dixie Chopper Eagle HP 3360KOE	33	air	14	10	belt	n/a	72.5	n/a	87.1	n/a			1,403	66	1-5
Dixie Chopper Eagle HP 3360KW	35	air	14	10	belt	n/a	72.5	n/a	87.1	n/a			1,409	66	1-5
Dixie Chopper Eagle HP 3372KOE	33	air	14	10	belt	n/a	78.7	n/a	89	n/a			1,442	72	1-5
Dixie Chopper Eagle HP 3572KWE	35	air	14	10	belt	n/a	78.7	n/a	89	n/a			1,426	72	1-5
Dixie Chopper Classic 2750KW	27	air	12	8	belt	n/a	55.5	n/a	77.5	n/a			1,074	50	1-5
Dixie Chopper Classic 2760KW	27	air	12	8	belt	n/a	66.5	n/a	77.5	n/a			1,134	60	1-5
Dixie Chopper Classic 3160KOE	31	air	12	10	belt	n/a	65.5	n/a	78	n/a			1,228	60	1-5
Dixie Chopper Classic 3160KW	31	air	12	10	belt	n/a	65.5	n/a	78	n/a			1,228	60	1-5
Dixie Chopper Classic 3572KOE	35	air	13	12	belt	n/a	76	n/a	79	n/a			1,425	72	1-5
Dixie Chopper Classic 3572KW	35	air	13	12	belt	n/a	76	n/a	79	n/a			1,425	72	1-5
Dixie Chopper Classic 3672BR	36	air	13	12	belt	n/a	76	n/a	79	n/a			1,425	72	1-5
Dixie Chopper Xcaliber 3160KOE	31	air	13	12	belt	n/a	65	n/a	85	n/a			1,390	60	1-5
Dixie Chopper Xcaliber 3160KW	31	air	13	12	belt	n/a	65	n/a	85	n/a			1,390	60	1-5
Dixie Chopper Xcaliber 3366KOE	33	air	13	12	belt	n/a	72	n/a	85	n/a			1,445	66	1-5
Dixie Chopper Xcaliber 3566KW	35	air	13	12	belt	n/a	72	n/a	85	n/a			1,445	66	1-5
Dixie Chopper Xcaliber 3574KOE	35	air	13	12	belt	n/a	76	n/a	86	n/a			1,482	74	1-5
Dixie Chopper Xcaliber 3574KW	35	air	13	12	belt	n/a	76	n/a	86	n/a			1,482	74	1-5
Dixie Chopper Xcaliber 3674BR	36	air	13	12	belt	n/a	76	n/a	86	n/a			1,482	74	1-5
Encore Arrow EA46XS22KWW	21.5	air	7	4	belt, PTO	33.8	55 w/D	44	72	3.5	side		544	46	1-4.5
Encore Arrow EA50XL24KWW	23	air	7	4	belt, PTO	33.8	59 w/D	44	72	3.5	side		590	50	1-4.5
Encore Arrow EA60XL24KWW	23	air	7	4	belt, PTO	33.8	68.5 w/D	44	72	3.5	side		637	60	1-4.5
Encore Fuzion F34X20	18	air	8	6	belt, PTO	33.5	41.5 w/D	43	73	4125	side		720	34	1-4.5
Encore Fuzion F42X20	18	air	8	6	belt, PTO	38	53 w/D	43	73	4125	side		750	42	1-4.5
Encore Dart E034F560UV	18	air	8	6	belt, PTO	33.5	45 w/D	43	73	4125	side		770	34	1-4.5
Encore Edge EE48FR61V32Q	23	air	9	9.5	belt, PTO	47	60 w/D	50.5	77.4	6.375	side		920	48	1-4.75
Encore Edge EE52FR61V32Z	23	air	9	9.5	belt, PTO	49.5	65.5 w/D	50.5	77.4	6.375	side		950	52	1-4.75
Encore Edge EE60FR730V32Z	24	air	9	9.5	belt, PTO	49.5	73 w/D	50.5	77.4	6.375	side		1,020	60	1-4.75
Encore Edge Single Stick EE48FR61V32SS	23	air	9	9.5	belt, PTO	47	60 w/D	50.5	77.4	6.375	side		920	48	1-4.75
Encore Edge Single Stick EE52FR61V32SS	23	air	9	9.5	belt, PTO	49.5	65.5 w/D	50.5	77.4	6.375	side		950	52	1-4.75
Encore Edge Single Stick EE60FR730V32SS	24	air	9	9.5	belt, PTO	49.5	73 w/D	50.5	77.4	6.375	side		1,020	60	1-4.75
Encore Edge EEE52X61V34	22	air	10	9.5	belt, PTO	49.5	65.5 w/D	50.5	77.4	6.375	side		950	52	1-4.75
Encore Edge EEE52X61V34	23.5	air	10	9.5	belt, PTO	49.5	73 w/D	50.5	77.4	6.375	side		1,020	60	1-4.75
Encore Caliber E052X80V4	25.5	air	12	14	belt, PTO	47	65 w/D	50.5	78	5	side		1,050	52	1-5.25
Encore Caliber E060FR850V5X	27	air	12	14	belt, PTO	50	73 w/D	54.5	79	5	side		1,110	60	1-5.25
Encore Prowler EP60FX921V5	31	air	12	14	belt, PTO	57	73 w/D	57	91	6.5	side		1,410	60	1-5.5
Encore Prowler EP60MX800EV5	32	air	12	14	belt, PTO	57	73 w/D	57	91	6.5	side		1,410	60	1-5.5
Grasshopper 124V-4I	724cc	air	7.5	gasoline	3	Belt	n/a	44	47	76	n/a	side/mulch/rear/collect	700	41	1-0.50
Grasshopper 124V-4B	724cc	air	8	gasoline	6.5	Belt	n/a	51	45	75	n/a	side/mulch/rear/collect	810	48	1-0.50
Grasshopper 125V-4B	747cc	air	8	gasoline	6.5	Belt	n/a	51	45	75	n/a	side/mulch/rear/collect	810	48	1-0.50
Grasshopper 125V-52	747cc	air	8	gasoline	6.5	Belt	n/a	55	45	75	n/a	side/mulch/rear/collect	830	52	1-0.50
Grasshopper 125V-61	747cc	air	8	gasoline	6.5	Belt	n/a	64	48	78	n/a	side/mulch/rear/collect	880	61	1-0.50
Grasshopper 126V-52	810cc	air	8	gasoline	6.5	Belt	n/a	55	45	75	n/a	side/mulch/rear/collect	830	52	1-0.50
Grasshopper 126V-61	810cc	air	8	gasoline	6.5	Belt	n/a	64	48	78	n/a	side/mulch/rear/collect	880	61	1-0.50
Grasshopper 225V-64-52	747cc	air	9	gasoline	12	Belt	n/a	55	46	76	n/a	side/mulch/rear/collect	980	52	1-0.50
Grasshopper 225V-64-61	747cc	air	9	gasoline	12	Belt	n/a	64	46	79	n/a	side/mulch/rear/collect	1050	61	1-0.50
Grasshopper 225-48	747cc	air	9	gasoline	12	Belt	n/a	51	50	75	n/a	side/mulch/rear/collect	1050	48	1-0.50
Grasshopper 225-52	747cc	air	9	gasoline	12	Belt	n/a	55	50	75	n/a	side/mulch/rear/collect	1070	52	1-0.50
Grasshopper 225-61	747cc	air	9.5	gasoline	12	Belt	n/a	64	51.5	76.5	n/a	side/mulch/rear/collect	1120	61	1-0.50
Grasshopper 226V-64-52	810cc	air	9	gasoline	12	Belt	n/a	55	46	76	n/a	side/mulch/rear/collect	960	52	1-0.50
Grasshopper 226V-64-61	810cc	air	9.5	gasoline	12	Belt	n/a	64	46	79	n/a	side/mulch/rear/collect	1030	61	1-0.50
Grasshopper 32864 EFI-52	810cc	air	10.5	gasoline	13	Belt	n/a	55	50	84	n/a	side/mulch/collect	1140	52	1-0.50
Grasshopper 32864 EFI-61	810cc	air	10.5	gasoline	13	Belt	n/a	64	51.5	85	n/a	side/mulch/collect	1190	61	1-0.50
Grasshopper 32944 EFI-52	824cc	air	10.5	gasoline	13	Belt	n/a	55	50	84	n/a	side/mulch/collect	1140	52	1-0.50
Grasshopper 32944 EFI-61	824cc	air	10.5	gasoline	13	Belt	n/a	64	51.5	85	n/a	side/mulch/collect	1190	61	1-0.50
Grasshopper 329B-52	895cc	air	10	gasoline	12	Belt	n/a	55	50	78	n/a	side/mulch/rear/collect	1140	52	1-0.50
Grasshopper 329B-61	895cc	air	10.5	gasoline	12	Belt	n/a	64	51.5	79.5	n/a	side/mulch/rear/collect	1190	61	1-0.50
Grasshopper 333GS EFI-61	824cc	air	11	gasoline	13	Belt	n/a	64	51.5	85	n/a	side/mulch/collect	1250	61	1-0.50
Grasshopper 333GS EFI-72	824cc	air	11	gasoline	13	Belt	n/a	75	55	89	n/a	side/mulch/collect	1330	72	1-0.50
Grasshopper 335B-61	993cc	air	10.5	gasoline	12	Belt	n/a	64	51.5	79.5	n/a	side/mulch/rear/collect	1190	61	1-0.50
Grasshopper 335B-72	993cc	air	10.5	gasoline	12	Belt	n/a	75	55	83	n/a	side/mulch/rear/collect	1280	72	1-0.50
Grasshopper 337GS EFI-61	993cc	air	11	gasoline	13	Belt	n/a	64	51.5	85	n/a	side/mulch/collect	1260	61	1-0.50
Grasshopper 337GS EFI-72	993cc	air	11	gasoline	13	Belt	n/a	75	55	89	n/a	side/mulch/collect	1340	72	1-0.50
Grasshopper 32652	898cc	liquid	10	gasoline	12	Belt	n/a	55	50	80	n/a	side/mulch/rear/collect	1230	52	1-0.50
Grasshopper 32651	898cc	liquid	10.5	gasoline	12	Belt	n/a	64	52.5	82.5	n/a	side/mulch/rear/collect	1360	61	1-0.50
Grasshopper 3250-72	898cc	liquid	10.5	diesel	12	Belt	n/a	75	56	86	n/a	side/mulch/rear/collect	1450	72	1-0.50
Grasshopper 329-52	962cc	liquid	10	gasoline	12	Belt	n/a	55	50	81	n/a	side/mulch/rear/collect	1310	52	1-0.50
Grasshopper 329-61	962cc	liquid	10.5	gasoline	12	Belt	n/a	64	52.5	82.5	n/a	side/mulch/rear/collect	1360	61	1-0.50
Grasshopper 329-72	962cc	liquid	10.5	gasoline	12	Belt	n/a	75	56	86	n/a	side/mulch/rear/collect	1450	72	1-0.50
Grasshopper 4000-61	1.3L	liquid	11	diesel	12	Belt	n/a	64	54.5	84.5	n/a	side/mulch/rear/collect	1450	61	1-0.50
Grasshopper 4000-72	1.3L	liquid	11	diesel	12	Belt	n/a	75	58	88	n/a	side/mulch/rear/collect	1540	72	1-0.50
Grasshopper 524V-42	724cc	air	8	gasoline	4	Belt	12.5	45	47	59.5	n/a	side/mulch/collect	935	42	2.0-4.5
Grasshopper 526V-52	810cc	air	8	gasoline	4	Belt	36	55	47	59.5	n/a	side/mulch/collect	1025	52	2.0-4.5
Grasshopper 623T w/ 52	694cc	air	8.5	gasoline	4	PTO	12.5	55	46	100	n/a	side/mulch/collect	1120	48.52	125-5.0
Grasshopper 725KT w/ 52	747cc	air	9	gasoline	72	PTO	12.5	55	51.5	105.5	n/a	side/mulch/rear/collect	1260	52, 61	125-5.0
Grasshopper 7271 EFI w/ 61	747cc	air	10	gasoline	72	PTO	12.5	64	51.5	107.5	n/a	side/mulch/rear/collect	1285	52, 61, 72	125-5.0
Grasshopper 7298T w/ 61	895cc	air	10	gasoline	72	PTO	12.5	64	51.5	107.5	n/a	side/mulch/rear/collect	1350	5	

2021 ZERO-TURN MOWER COMPARISON CHART - RIDER MODELS

Model	Horse-power	Cooling	Forward speed (mph)	Fuel type options	Fuel capacity (gal)	Deck drive - belt/shaft	Width at rear wheels (in.)	Total width (in.) chute up	Wheel base (in.)	Overall length (in.)	Curb clearance (in.)	Deck discharge options	Unit weight (lbs)	Width of cut (in.)	Height of cut (in.)
Grasshopper 7250T6 w/ 61	900cc	liquid	10	diesel	8	PTO	36	64	51.5	107.5	n/a	side/mulch/rear/collect	1420	52, 61, 72	1.25 - 5.0
Grasshopper 72916 w/ 61	962cc	liquid	10	gasoline	72	PTO	36	64	51.5	107.5	n/a	side/mulch/rear/collect	1420	52, 61, 72	1.25 - 5.0
Grasshopper 9000 L3L	1.3L	liquid	11	diesel	72	PTO	36	75	54.5	120.5	n/a	side/mulch/rear/collect	1645	61, 72	1.25 - 5.0
Grasshopper 932 w/72	962cc	liquid	11	gasoline	72	PTO	36	75	54.5	120.5	n/a	side/mulch/rear/collect	1645	61, 72	1.25 - 5.0
Grasshopper 937 w/72	993cc	air	11	gasoline	14.4	PTO	36	75	54.5	120.5	n/a	side/mulch/rear/collect	1685	61, 72	1.25 - 5.0
Grasshopper 3250-52	898cc	liquid	10	diesel	12	Belt	n/a	55	51	80	n/a	side/mulch/rear/collect	1230	52	1.0 - 5.0
Grasshopper 3250-61	898cc	liquid	10.5	diesel	12	Belt	n/a	64	52.5	82.5	n/a	side/mulch/rear/collect	1360	61	1.0 - 5.0
Grasshopper 3250-72	898cc	liquid	10.5	diesel	12	Belt	n/a	75	56	86	n/a	side/mulch/rear/collect	1450	72	1.0 - 5.0
Grasshopper 329-52	962cc	liquid	10	gasoline	12	Belt	n/a	55	51	81	n/a	side/mulch/rear/collect	1310	52	1.0 - 5.0
Grasshopper 329-61	962cc	liquid	10.5	gasoline	12	Belt	n/a	64	52.5	82.5	n/a	side/mulch/rear/collect	1360	61	1.0 - 5.0
Grasshopper 329-72	962cc	liquid	10.5	gasoline	12	Belt	n/a	75	56	86	n/a	side/mulch/rear/collect	1450	72	1.0 - 5.0
Grasshopper 4000-61	1.3L	liquid	11	diesel	12	Belt	n/a	64	54.5	94.5	n/a	side/mulch/rear/collect	1450	61	1.0 - 5.0
Grasshopper 4000-72	1.3L	liquid	11	diesel	12	Belt	n/a	75	58	88	n/a	side/mulch/rear/collect	1540	72	1.0 - 5.0
Grasshopper 524V-42	724cc	air	8	gasoline	4	Belt	12.5	45	47	59.5	n/a	side/mulch/collect	935	42	2.0 - 4.5
Grasshopper 526V-52	810cc	air	8	gasoline	4	Belt	36	55	47	59.5	n/a	side/mulch/collect	1025	52	2.0 - 4.5
Grasshopper 6231 w/ 52	694cc	air	8.5	gasoline	4	PTO	12.5	55	46	100	n/a	side/mulch/collect	1120	48, 52	1.25 - 5.0
Grasshopper 725KT w/ 52	747cc	air	9	gasoline	72	PTO	12.5	55	51.5	105.5	n/a	side/mulch/rear/collect	1260	52, 61	1.25 - 5.0
Grasshopper 7271 EFI w/61	747cc	air	10	gasoline	72	PTO	12.5	64	51.5	107.5	n/a	side/mulch/rear/collect	1285	52, 61, 72	1.25 - 5.0
Grasshopper 7298T6 w/61	895cc	air	10	gasoline	72	PTO	12.5	64	51.5	107.5	n/a	side/mulch/rear/collect	1350	52, 61, 72	1.25 - 5.0
Grasshopper 735BT6 w/72	993cc	air	10	gasoline	72	PTO	12.5	75	51.5	117.5	n/a	side/mulch/rear/collect	1475	61, 72	1.25 - 5.0
Grasshopper 750T6 w/ 61	900cc	liquid	10	diesel	8	PTO	36	64	51.5	107.5	n/a	side/mulch/rear/collect	1420	52, 61, 72	1.25 - 5.0
Grasshopper 72916 w/ 61	962cc	liquid	10	gasoline	72	PTO	36	64	51.5	107.5	n/a	side/mulch/rear/collect	1420	52, 61, 72	1.25 - 5.0
Grasshopper 9000 L3L	1.3L	liquid	11	diesel	72	PTO	36	75	54.5	120.5	n/a	side/mulch/rear/collect	1645	61, 72	1.25 - 5.0
Grasshopper 932 w/72	962cc	liquid	11	gasoline	72	PTO	36	75	54.5	120.5	n/a	side/mulch/rear/collect	1645	61, 72	1.25 - 5.0
Grasshopper 937 w/ 72	993cc	air	11	gasoline	14.4	PTO	36	75	54.5	120.5	n/a	side/mulch/rear/collect	1685	61, 72	1.25 - 5.0
Grasshopper 932 w/72	962cc	liquid	11	gasoline	72	PTO	36	75	54.5	120.5	n/a	side/mulch/rear/collect	1645	61, 72	1.25 - 5.0
Gravely Pro-Turn 600	27-38.5	air	15	gasoline	12.7	belt	50	53-75	n/a	83	n/a	side	1400-1815	52, 60, 72	10-5.5
Gravely Pro-Turn 400	27-35	air	13	gasoline	13.4	belt	n/a	675-87	n/a	80-82	n/a	side	1,326-1,453	52-72	1-5.5
Gravely Pro-Turn 200	25-31	air	13	gasoline	13.4	belt	n/a	675-87	n/a	80-82	n/a	side	1,302-1,410	52-72	1-5.5
Gravely Pro-Turn 100	22-26	air	10	gasoline	10	belt	n/a	62-75	n/a	78.5	n/a	side	1,062-1,136	48-60	15-5.5
Gravely Pro-Turn ZX	22-23.5	air	8.5	gasoline	5	belt	n/a	63-75	n/a	81	n/a	side	924-953	48-60	1-5.5
Gravely Pro-Turn Z	26.5	air	8	gasoline	5	belt	n/a	67-75	n/a	81	n/a	side	932-953	48-60	1-5.5
Gravely Compact-Pro	15.5-19	air	7	gasoline	72	belt	n/a	483-569	n/a	75	n/a	side	737-789	34-44	1-5
Husqvarna Z440 Kawasaki FS651	22	n/a	8	gasoline	6	belt	n/a	53	49	75.5	n/a	side, mulch/collect optional	730	48	15-4.5
Husqvarna Z454 Kawasaki FS651	22	n/a	8	gasoline	6	belt	n/a	55	49	75.5	n/a	side, mulch/collect optional	760	54	15-4.5
Husqvarna Z460 Kawasaki FS651	23	n/a	8	gasoline	6	belt	n/a	63.75	49	75.5	n/a	side, mulch/collect optional	790	60	15-4.5
Husqvarna Z454X Kawasaki FX691	22	n/a	10	gasoline	6	belt	n/a	55	49	75.5	n/a	side, mulch/collect optional	770	54	15-4.5
Husqvarna Z460X Kawasaki FX730	23.5	n/a	10	gasoline	6	belt	n/a	63.75	49	75.5	n/a	side, mulch/collect optional	805	60	15-4.5
Husqvarna Z540 Yamaha MX800	26	n/a	10	gasoline	12	belt	n/a	53	50	81	n/a	side, mulch/collect optional	1,107	48	1-5
Husqvarna Z544 Yamaha MX800	26	n/a	10	gasoline	12	belt	n/a	55	50	81	n/a	side, mulch/collect optional	1,131	54	1-5
Husqvarna Z560 Kawasaki FX751	25.5	n/a	10	gasoline	12	belt	n/a	63.75	50	81	n/a	side, mulch/collect optional	1,161	60	1-5
Husqvarna Z560 Yamaha MX825	27.5	n/a	10	gasoline	12	belt	n/a	63.75	50	81	n/a	side, mulch/collect optional	1,362	60	1-5
Husqvarna Z554X Kawasaki FX751	25.5	n/a	12	gasoline	12	belt	n/a	55	50	81	n/a	side, mulch/collect optional	1,330	54	1-5
Husqvarna Z560X Kawasaki FX650	27	n/a	12	gasoline	12	belt	n/a	63.75	50	81	n/a	side, mulch/collect optional	1,358	54	1-5
Husqvarna Z560X Kawasaki FX801	25.5	n/a	12	gasoline	12	belt	n/a	63.75	50	81	n/a	side, mulch/collect optional	1,358	60	1-5
Husqvarna Z560X Kawasaki FX921	31	n/a	12	gasoline	12	belt	n/a	63.75	50	81	n/a	side, mulch/collect optional	1,368	60	1-5
Husqvarna Z560X Yamaha MX800 EFI	31	n/a	12	gasoline	12	belt	n/a	63.75	50	81	n/a	side, mulch/collect optional	1,364	60	1-5
Husqvarna Z572X Kawasaki FX921	31	n/a	12	gasoline	12	belt	n/a	75	50	81	n/a	side, mulch optional	1,375	72	1-5
Hustler Dash Briggs & Stratton	10.5	air	5	gasoline	2.8 qts	belt	34	375	n/a	65.5	n/a	side	390	34	15-4.5
Hustler Dash Briggs & Stratton	10.5	air	5	gasoline	2.8 qts	belt	35.5	4325	n/a	65.5	n/a	side	400	42	15-4.5
Hustler Dash XD Kawasaki FR641	15	air	6	gasoline	2	belt	35	375	n/a	65.4	n/a	side	455	34	15-4.5
Hustler Dash XD Kawasaki FR641	15	air	6	gasoline	2	belt	41	4325	n/a	65.4	n/a	side	467	42	15-4.5
Hustler Dash XD Kawasaki FR660	18	air	6	gasoline	2	belt	41	4825	n/a	65.4	n/a	side	490	48	15-4.5
Hustler Raptor X Kawasaki FR600	18	air	7	gasoline	3	belt	43	45.5	n/a	68.8	n/a	side	537	42	15-4.5
Hustler Raptor X Kawasaki FR651	21.5	air	7	gasoline	3	belt	46.5	58.6	n/a	70.6	n/a	side	564	54	15-4.5
Hustler Raptor XL Kawasaki FR651	21.5	air	7	gasoline	3	belt	43	45.5	n/a	69.9	n/a	side	567	42	15-4.5
Hustler Raptor XL Kawasaki FR691	23	air	7	gasoline	3	belt	46.5	58.6	n/a	71.7	n/a	side	594	54	15-4.5
Hustler Raptor XD Kawasaki FR651	21.5	air	75	gasoline	3	belt	42	45.8	n/a	69.3	n/a	side	616	42	15-4.5
Hustler Raptor XD Kawasaki FR651	21.5	air	75	gasoline	3	belt	42	52.5	n/a	69.3	n/a	side	627	48	15-4.5
Hustler Raptor XD Kawasaki FR691	23	air	75	gasoline	3	belt	48.6	58.5	n/a	71.1	n/a	side	653	54	15-4.5
Hustler Raptor XD Kawasaki FR730	24	air	75	gasoline	3	belt	48.6	64.4	n/a	71.1	n/a	side	680	60	15-4.5
Hustler Raptor FlipUp Kawasaki FR691	23	air	7	gasoline	3	belt	43.7	48.8	n/a	69.4	n/a	side	755	48	15-4.5
Hustler Raptor FlipUp Kawasaki FR691	23	air	7	gasoline	3	belt	43.7	54.8	n/a	69.4	n/a	side	770	54	15-4.5
Hustler Raptor XDX Kawasaki FR651	21.5	air	8	gasoline	3	belt	45.8	50.6	n/a	71.1	n/a	side	646	48	15-4.5
Hustler Raptor XDX Kawasaki FR691	23	air	8	gasoline	3	belt	48.6	57	n/a	71.1	n/a	side	678	54	15-4.5
Hustler Raptor XDX Kawasaki FR730	24	air	8	gasoline	3	belt	52	61.1	n/a	76	n/a	side	710	60	15-4.5
Hustler Fastrak Kawasaki FT691	22	air	8	gasoline	5	belt	47	49.1	n/a	76	n/a	side	835	48	15-4.5
Hustler Fastrak Kawasaki FT691 RD	22	air	8	gasoline	5	belt	47	48.85	n/a	76	n/a	rear	840	48	15-4.5
Hustler Fastrak Kawasaki FT691	22	air	8	gasoline	5	belt	52	55.1	n/a	76	n/a	side	845	54	15-4.5
Hustler Fastrak Kohler 7500 EFI	27	air	8	gasoline	5	belt	52	55.1	n/a	76	n/a	side	845	54	15-4.5
Hustler Fastrak Kawasaki FT691 RD	22	air	8	gasoline	5	belt	52	54.85	n/a	76	n/a	rear	860	54	15-4.5
Hustler Fastrak Kawasaki FT730	24	air	8	gasoline	5	belt	52	61.1	n/a	76	n/a	side	865	60	15-4.5
Hustler Fastrak Kohler 7500 EFI	27	air	8	gasoline	5	belt	52	61.1	n/a	76	n/a	side	865	60	15-4.5
Hustler Fastrak SDX Kawasaki FX691	22	air	9	gasoline	5	belt	47	49.1	n/a	73.6	n/a	side	862	48	15-4.5
Hustler Fastrak SDX Kawasaki FX691	22	air	9	gasoline	5	belt	52	55.1	n/a	74.42	n/a	side	891	54	15-4.5
Hustler Fastrak SDX Kawasaki FX730	23.5	air	9	gasoline	5	belt	52	61.1	n/a	75.92	n/a	side	916	60	15-4.5
Huster X-One Kawasaki FX850	27	air	10.5	gasoline	11.7	belt	51	54.4	n/a	80.2	n/a	side	1,240	52	1-5.5
Huster X-One Kohler Command Pro	25	air	10.5	gasoline	11.7	belt	51	54.4	n/a	80.2	n/a	side	1,240	52	1-5.5
Huster X-One Kawasaki FX730	23.5	air	10.5	gasoline	11.7	belt	54.5	62.4	n/a	80.2	n/a	side	1,245	60	1-5.5
Huster X-One Kawasaki FX850	27	air	10.5	gasoline	11.7	belt	54.5	62.4							

2021 ZERO-TURN MOWER COMPARISON CHART - RIDER MODELS

Model	Horse-power	Cooling	Forward speed (mph)	Fuel type options	Fuel capacity (gal)	Deck drive - belt/shaft	Width at rear wheels (in.)	Total width (in., chute up)	Wheel base (in.)	Overall length (in.)	Curb clearance (in.)	Deck discharge options	Unit weight (lbs)	Width of cut (in.)	Height of cut (in.)
Hustler X-One Kawasaki FX850 EFI	29.5	air	10.5	gasoline	11.7	belt	54.5	75.7	n/a	84	n/a	side	1,320	72	1-5.5
Hustler X-One Kawasaki FX730 RD	23.5	air	10.5	gasoline	11.7	belt	51	55.72	n/a	80.2	n/a	rear	1,275	54	1-5.5
Hustler X-One Kawasaki FX730 RD	23.5	air	10.5	gasoline	11.7	belt	54.5	61.72	n/a	80.2	n/a	rear	1,305	60	1-5.5
Hustler Super Z Kawasaki FX850	27	air	14	gasoline	11.7	belt	57	60	n/a	89	n/a	side	1,420	54	1-5.5
Hustler Super Z Kawasaki FX850	27	air	14	gasoline	11.7	belt	57	66	n/a	89	n/a	side	1,451	60	1-5.5
Hustler Super Z Kawasaki FX1000	35	air	14	gasoline	11.7	belt	57	66	n/a	89	n/a	side	1,451	60	1-5.5
Hustler Super Z Kawasaki FX1000 EFI	38.5	air	14	gasoline	11.7	belt	57	66	n/a	89	n/a	side	1,451	60	1-5.5
Hustler Super Z Kawasaki FX850 RD	27	air	14	gasoline	11.7	belt	57	66	n/a	91.5	n/a	rear	1,566	60	1-5.5
Hustler Super Z Kawasaki FX1000	35	air	14	gasoline	11.7	belt	60	72	n/a	91.5	n/a	side	1,516	66	1-5.5
Hustler Super Z Kawasaki FX1000	35	air	14	gasoline	11.7	belt	60	78	n/a	93	n/a	side	1,526	72	1-5.5
Hustler Super Z Kawasaki FX1000 EFI	38.5	air	14	gasoline	11.7	belt	60	78	n/a	93	n/a	side	1,526	72	1-5.5
Hustler Super Z Kawasaki FX850 RD	27	air	14	gasoline	11.7	belt	60	73.23	n/a	93	n/a	rear	1,626	72	1-5.5
Hustler Super Z HyperDrive Vanguard Big Block	36	air	16	gasoline	11.7	belt	57	66	n/a	89	n/a	side	1,536	60	1-5.5
Hustler Super Z HyperDrive Vanguard Big Block EFI	37	air	16	gasoline	11.7	belt	57	66	n/a	89	n/a	side	1,536	60	1-5.5
Hustler Super Z HyperDrive Kawasaki FX1000	35	air	16	gasoline	11.7	belt	57	66	n/a	89	n/a	side	1,536	60	1-5.5
Hustler Super Z HyperDrive Vanguard Big Block EFI w/ Oil Guard	37	air	16	gasoline	11.7	belt	57	66	n/a	89	n/a	side	1,536	60	1-5.5
Hustler Super Z HyperDrive Vanguard Big Block EFI RD	37	air	16	gasoline	11.7	belt	57	66	n/a	91.5	n/a	rear	1,606	60	1-5.5
Hustler Super Z HyperDrive Vanguard Big Block EFI	37	air	16	gasoline	11.7	belt	60	72	n/a	91.5	n/a	side	1,551	66	1-5.5
Hustler Super Z HyperDrive Kawasaki FX1000	35	air	16	gasoline	11.7	belt	60	78	n/a	93	n/a	side	1,596	72	1-5.5
Hustler Super Z HyperDrive Vanguard Big Block	36	air	16	gasoline	11.7	belt	60	78	n/a	93	n/a	side	1,596	72	1-5.5
Hustler Super Z HyperDrive Vanguard Big Block EFI	37	air	16	gasoline	11.7	belt	60	78	n/a	93	n/a	side	1,596	72	1-5.5
Hustler Super Z HyperDrive Vanguard Big Block EFI w/ Oil Guard	37	air	16	gasoline	11.7	belt	60	78	n/a	93	n/a	side	1,596	72	1-5.5
Hustler Super Z HyperDrive Vanguard Big Block EFI RD	37	air	16	gasoline	11.7	belt	60	78	n/a	93	n/a	rear	1,676	72	1-5.5
Hustler TrimStar Kawasaki FS541	15	air	6.3	gasoline	3.4	belt	35	37	n/a	42.55	n/a	side	560	36	1-5.45
Hustler TrimStar Kawasaki FS600	18.5	air	6.3	gasoline	3.4	belt	44	49	n/a	42.55	n/a	side	635	48	1-5.45
Hustler TrimStar Kawasaki FS600	18.5	air	6.3	gasoline	3.4	belt	46	55	n/a	42.55	n/a	side	660	54	1-5.45
Hustler TrimStar Kawasaki FS651	21.5	air	6.3	gasoline	3.4	belt	46	61	n/a	42.55	n/a	side	695	60	1-5.45
Hustler Super 88 Vanguard Big Block	36	air	10	gasoline	13.9	belt	57	91.1	n/a	84	n/a	rear	2,057	88	2-5.5
Hustler Super 88 Vanguard Big Block EFI w/ Oil Guard	37	air	10	gasoline	13.9	belt	57	91.1	n/a	84	n/a	rear	2,057	88	2-5.5
Hustler Super 104 Vanguard Big Block	36	air	11	gasoline	12	belt	60.3	106.1	n/a	95.5	n/a	rear	2,500	104	1-5.5
Hustler Super 104 Vanguard Big Block EFI w/ Oil Guard	37	air	11	gasoline	12	belt	60.3	106.1	n/a	95.5	n/a	rear	2,500	104	1-5.5
Hustler Super 104 Kawasaki FX1000	35	air	11	gasoline	12	belt	60.3	106.1	n/a	95.5	n/a	rear	2,500	104	1-5.5
Hustler Z Diesel Shibaura	25	liquid	11.5	diesel	14.4	belt	56	66	n/a	86.8	n/a	side	1,656	60	1-5.5
Hustler Z Diesel Shibaura RD	25	liquid	11.5	diesel	14.4	belt	56	66	n/a	86.8	n/a	rear	1,766	60	1-5.5
Hustler Z Diesel Shibaura	25	liquid	11.5	diesel	14.4	belt	56	78	n/a	90.4	n/a	side	1,711	72	1-5.5
Hustler Z Diesel Shibaura RD	25	liquid	11.5	diesel	14.4	belt	56	78	n/a	90.4	n/a	rear	1,816	72	1-5.5
Hustler Super 104 Kawasaki FX1000	35	air	11	gasoline	12	belt	60.3	106.1	n/a	95.5	n/a	rear	2,500	104	1-5.5
Hustler Z Diesel Shibaura	25	liquid	11.5	diesel	14.4	belt	56	66	n/a	86.8	n/a	side	1,656	60	1-5.5
Hustler Z Diesel Shibaura RD	25	liquid	11.5	diesel	14.4	belt	56	66	n/a	86.8	n/a	rear	1,766	60	1-5.5
Hustler Z Diesel Shibaura	25	liquid	11.5	diesel	14.4	belt	56	78	n/a	90.4	n/a	side	1,711	72	1-5.5
Hustler Z Diesel Shibaura RD	25	liquid	11.5	diesel	14.4	belt	56	78	n/a	90.4	n/a	rear	1,816	72	1-5.5
Jacobsen TZ400 224KW	22	air	9	6.8	belt	n/a	49.2	n/a	81.3	n/a	n/a	1,104	48	1-5	
Jacobsen TZ400 245KW	24	air	9	6.8	belt	n/a	55.4	n/a	81.3	n/a	n/a	1,114	54	1-5	
Jacobsen TZ400 246KW	24	air	9	6.8	belt	n/a	61.9	n/a	81.3	n/a	n/a	1,121	60	1-5	
Jacobsen TZ600 224KW	22	air	10	6.8	belt	n/a	49.2	n/a	81.3	n/a	n/a	1,116	48	1-5.45	
Jacobsen TZ600 254KOE	25	air	10	6.8	belt	n/a	49.2	n/a	81.3	n/a	n/a	1,121	48	1-5	
Jacobsen TZ600 245KOE	24	air	10	6.8	belt	n/a	55.4	n/a	81.3	n/a	n/a	1,132	54	1-5	
Jacobsen TZ600 254KOE	25	air	10	6.8	belt	n/a	55.4	n/a	81.3	n/a	n/a	1,138	54	1-5	
Jacobsen TZ600 246KOE	24	air	10	6.8	belt	n/a	61.9	n/a	81.3	n/a	n/a	1,140	60	1-5	
Jacobsen TZ600 256KOE	25	air	10	6.8	belt	n/a	61.9	n/a	81.3	n/a	n/a	1,144	60	1-5	
Jacobsen TZ900 275KOE	27	air	12	8	belt	n/a	59.6	n/a	88.5	n/a	n/a	1,317	54	1-5	
Jacobsen TZ900 275KW	27	air	12	8	belt	n/a	59.6	n/a	88.5	n/a	n/a	1,306	54	1-5	
Jacobsen TZ900 276KOE	27	air	12	8	belt	n/a	66.1	n/a	88.5	n/a	n/a	1,333	60	1-5	
Jacobsen TZ900 276KW	27	air	12	8	belt	n/a	66.1	n/a	88.5	n/a	n/a	1,322	60	1-5	
Jacobsen TZ1000 316KOE	31	air	14	10	belt	n/a	66.1	n/a	87.1	n/a	n/a	1,378	60	1-5	
Jacobsen TZ1000 336KOE	31	air	14	10	belt	n/a	66.1	n/a	87.1	n/a	n/a	1,386	60	1-5	
Jacobsen TZ1000 3366KOE	33	air	14	10	belt	n/a	72.5	n/a	87.1	n/a	n/a	1,403	66	1-5	
Jacobsen TZ1000 3366KW	33	air	14	10	belt	n/a	72.5	n/a	87.1	n/a	n/a	1,409	66	1-5	
Jacobsen TZ1000 3372KOE	33	air	14	10	belt	n/a	78.7	n/a	89	n/a	n/a	1,442	72	1-5	
Jacobsen TZ1000 3572KW	35	air	14	10	belt	n/a	78.7	n/a	89	n/a	n/a	1,426	72	1-5	
Jacobsen TZ1000 2960KOE	29	air	14	7	belt	n/a	66.1	n/a	87.1	n/a	n/a	1,334	60	1-5	
Jacobsen TZ1000 2972KOE	29	air	14	7	belt	n/a	78.7	n/a	89	n/a	n/a	1,408	72	1-5	
John Deere 2915E Trak	25	air	10	gasoline	11.5	VB/EM 200	n/a	n/a	84	n/a	side	1,100-1,178	48-60	1-5.5	
John Deere 2920M	23.5	air	10	gasoline	11.5	VB/EM 200	n/a	n/a	84	n/a	side	1,220-1,283	48-60	1-5.5	
John Deere 2930M	25.5	air	10	gasoline	11.5	VB/EM 225	n/a	n/a	84	n/a	side, rear	1,275-1,365	54-60	1-5.5	
John Deere 2945M EFI	27	air	10	gasoline	11.5	VB/EM 225	n/a	n/a	84	n/a	side	1,275-1,365	60	1-5.5	
John Deere 2950M	27	air	10	gasoline	11.5	VB/EM 225	n/a	n/a	84	n/a	side, rear	1,275-1,365	54-72	1-5.5	
John Deere 2955M EFI	29	air	10	gasoline	11.5	VB/EM 225	n/a	n/a	84	n/a	side, rear	1,275-1,365	60-72	1-5.5	
John Deere 2960M	31	air	10	gasoline	11.5	VB/EM 225	n/a	n/a	84	n/a	side	1,252-1,340	60-72	1-5.5	
John Deere Z30R	25.5	air	12	gasoline	11.5	VB/EM 225	n/a	n/a	84	n/a	side	1,273-1,310	54-60	1-5.5	
John Deere Z950R	27	air	12	gasoline	11.5	VB/EM 225	n/a	n/a	84	n/a	side, rear	1,292-1,340	60-72	1-5.5	
John Deere Z955R EFI	29	air	12	gasoline	11.5	VB/EM 225	n/a	n/a	84	n/a	side, rear	1,275-1,365	60-72	1-5.5	
John Deere Z970R	35	air	12	gasoline	11.5	VB/EM 225	n/a	n/a	84	n/a	side, rear	1,336-1,345	60-72	1-5.5	
John Deere Z994R Diesel	24.7	liquid	10.5	diesel	11.5	VB/EM 225	n/a	n/a	84	n/a	side, rear	1,275-1,365	60-72	1-5.5	
John Deere Z997R Diesel	37.4	liquid	11.5	diesel	12	VWD/HC	12	68-74	n/a	88.6	n/a	side, rear	1,275-1,365	60-72	1-5.5
Lastec W2700 platform	49	liquid	10	diesel	13.5	belt	71	126	54	92	4.5	side/mulch/rear	3,395	120	1-4.5
Lastec W2800 platform	37	liquid	10	diesel	13.5	belt	71	106	54	92	4.5	side/mulch/rear	3,275	100	1-4.5
Lastec W2600 platform	37	liquid	10	diesel	13.5	belt	71	86	54	92	4.5	side/mulch	3,125	80	1-4.5
Lastec W2400 Series- W2400D2573	24.8	liquid	10	diesel	12	belt	58	82	50	85	6	side/mulch	1,652	73	15-45
Lastec W2400 Series- W2400D2561	24.8	liquid	10	diesel	12	belt	58	69	50	85	6	side/mulch	1,513	61	15-45
Lastec W2400 Series- W2400D3873	38	air	10	gasoline	12	belt	58	82	50	85	6	side/mulch	1,598	73	15-45
Lastec W2400 Series- W2400G2761	27	air	10	gasoline	12	belt	58	69	50	85	6	side/mulch	1,459	61	15-45
Scag Turf Tiger II - Briggs Vanguard Big Block	31	air	12	gasoline	12	PTO	51	64.5	n/a	83	n/a	side	1,418	52	1-6

CC: cubic centimeters; D: deflector; MBTC+BB: manual belt tightener clutch and band brake; PTO: power take-off; VB/EM 200: V-belt/electro-magnetic, 200 lb./ft.

◆ To download a copy of these comparison charts, go to www.igin.com/2021-mower-comparison-charts

2021 ZERO-TURN MOWER COMPARISON CHART - RIDER MODELS

Model	Horse-power	Cooling	Forward speed (mph)	Fuel type options	Fuel capacity (gal)	Deck drive - belt/shaft	Width at rear wheels (in.)	Total width (in., chute up)	Wheel base (in.)	Overall length (in.)	Curb clearance (in.)	Deck discharge options	Unit weight (lbs)	Width of cut (in.)	Height of cut (in.)
Scag Turf Tiger II - Briggs Vanguard Big Block	31	air	12	gasoline	12	PTO	56	73.5	n/a	88	n/a	side	1,538	61	1-6
Scag Turf Tiger II - Kawasaki DFI	31	liquid	12	gasoline	12	PTO	56	73.5	n/a	88	n/a	side	1,496	61	1-6
Scag Turf Tiger II - Briggs Vanguard Big Block EFI	37	air	12	gasoline	12	PTO	56	73.5	n/a	88	n/a	side	1,519	61	1-6
Scag Turf Tiger II - Kawasaki DFI	31	liquid	12	gasoline	12	PTO	56	83	n/a	92	n/a	side	1,556	72	1-6
Scag Turf Tiger II - Briggs Vanguard Big Block EFI	37	air	12	gasoline	12	PTO	56	83	n/a	92	n/a	side	1,556	72	1-6
Scag Turf Tiger II Kubota Diesel	25	liquid	12	diesel	11	PTO	56	73.5	n/a	87.5	n/a	side	1,709	61	1-6
Scag Turf Tiger II Kubota Diesel	25	liquid	12	diesel	11	PTO	56	83	n/a	90	n/a	side	1,739	72	1-6
Scag Turf Tiger II Propane - Kohler LP EFI	25	liquid	12	propane	11	PTO	51	64.5	n/a	83	n/a	side	1,486	52	1-6
Scag Turf Tiger II Propane - Kohler LP EFI	25	liquid	12	propane	11	PTO	56	73.5	n/a	88	n/a	side	1,606	61	1-6
Scag Cheetah II - Briggs Vanguard Big Block EFI	37	air	16,12	gasoline	15	belt	55.25	73.5	n/a	85.5	n/a	side	1,364	61	125-5
Scag Cheetah II - Kawasaki FX EFI	38	air	16,12	gasoline	15	belt	55.25	73.5	n/a	85.5	n/a	side	1,377	61	125-5
Scag Cheetah II - Kawasaki FX Rear Discharge	31	air	16,12	gasoline	15	belt	55.25	63.5	n/a	85.5	n/a	rear	1,377	61	125-5
Scag Cheetah II - Briggs Vanguard Big Block EFI	37	air	16,12	gasoline	16	belt	55.25	83	n/a	92	n/a	side	1,399	72	125-6
Scag Cheetah II - Kawasaki FX EFI	38	air	16,12	gasoline	15	belt	55.25	83	n/a	91	n/a	side	1,412	72	125-6
Scag Tiger Cat II - Kawasaki FX	22	air	12	gasoline	9.5	belt	47	60.5	n/a	81	n/a	side	1,160	48	1-5
Scag Tiger Cat II - Kohler Command EFI	25	air	12	gasoline	9.5	belt	48.75	64.5	n/a	81.5	n/a	side	1,180	52	1-5
Scag Tiger Cat II - Kawasaki FT EFI	26	air	12	gasoline	9.5	belt	48.75	64.5	n/a	81.5	n/a	side	1,175	52	1-5
Scag Tiger Cat II - Kawasaki FT EFI	26	air	12	gasoline	9.5	belt	51.5	73.5	n/a	85.5	n/a	side	1,257	61	1-5
Scag Tiger Cat II - Briggs Vanguard Big Block EFI	32	air	12	gasoline	9.5	belt	51.5	73.5	n/a	85.5	n/a	side	1,277	61	1-5
Scag Patriot - Kawasaki FX	22	air	10	gasoline	6.5	belt	47.5	64.5	n/a	73	n/a	side	840	52	1-4.5
Scag Patriot - Kohler Command Pro	23	air	10	gasoline	6.5	belt	47.5	64.5	n/a	73	n/a	side	911	52	1-4.5
Scag Patriot - Kawasaki FX	23	air	8.5	gasoline	6.5	belt	50.5	73.5	n/a	79	n/a	side	900	61	1-4.5
Scag Patriot - Kohler Command Pro	25	air	8.5	gasoline	6.5	belt	50.5	73.5	n/a	79	n/a	side	956	61	1-4.5
Scag Freedom Z - Kohler 7000 Series	22	air	8	gasoline	6.5	belt	47.5	60.5	n/a	73	n/a	side	745	48	1-4.5
Scag Freedom Z - Kohler 7000 Series	24	air	8	gasoline	6.5	belt	47.5	64.5	n/a	73	n/a	side	765	52	1-4.5
Scag Freedom Z - Kohler 7000 Series	24	air	8	gasoline	6.5	belt	47.5	64.5	n/a	73	n/a	side	765	52	1-4.5
Snapper Pro S40 Series	28	air	10		8	electric	n/a	65.77	n/a	67.72	n/a		921,998	52-61	15-4.5
Snapper Pro S50xt Series	19-25	air	8		4,8	electric	36.5-n/a	52.64	n/a	69	n/a		688-724	36-48	15-4.5
Snapper Pro S120xt Series	24-25	air	10		5.5	electric	51.53	67.77	n/a	81	n/a		1,059,113	52-61	15-5
Snapper Pro S200xt Series	26-37	air	10		11	electric	57.25-n/a	76	n/a	79	n/a		1,190	61-72	15-6
Toro Titan HD 2000 Series Kohler 74463	25	air	9	gasoline	7	belt	n/a	63.25-75.25	n/a	82-84.25	n/a	side	870-1,012	48-60	15-5
Toro Titan HD 2000 Series Toro V-Twin (74465, 74466, 74467)	24.5	air	9	gasoline	7	belt	n/a	63.25-75.25	n/a	82-84.25	n/a	side	870-1,012	48-60	15-5
Toro Titan HD 2500 Series Kawasaki	20.5-23.5	air	10	gasoline	7	belt	n/a	63.25-75.25	n/a	82-83	n/a	side	937-1,006	48-60	15-5
Toro Z Master 3000 Series Kohler	25	air	8.5	gasoline	8	belt	n/a	67.6	n/a	79.2	n/a	side	1,085	48-72	1-5.5
Toro Z Master 3000 Series Kawasaki	25.5	air	10	gasoline	8	belt	n/a	75.7	n/a	83.1	n/a	side	1,165	48-60	1-5.5
Toro Z Master 5000 Series Kohler EFI	23-26.5	air	10	gasoline, propane	12	belt	n/a	63.6-78.3	n/a	79.2-83	n/a	side, rear	1,120-1,335	48-72	1-5.5
Toro Z Master 6000 Series Kawasaki (CARB)	23.5	air	10-11.5	gasoline	12	belt	n/a	63.6-87.6	n/a	79.2-86.1	n/a	side	1,160-1,334	60-72	1-5.5
Toro Z Master 6000 Series Kohler EFI	26.5-34	air	11.5	gasoline	12	belt	n/a	75.7-87.6	n/a	83.1-86.1	n/a	side	1,254-1,369	60-72	1-5.5
Toro Z Master 7000 Kubota	25	liquid	11.2	diesel	12	belt	n/a	68-88	n/a	79.5-84.5	n/a	side	1,443-1,543	52-72	1-5.5
Toro Z Master 7500-D Yanmar	25-37	liquid	12.5	diesel	12.5	belt	n/a	75.7-87.6	n/a	96.6-100.68	n/a	side, rear	2,055-2,650	60-96	1-5.5
Toro Z Master 8000 Series Direct Collect Z	20-25	air	7	gasoline	7.5	belt	n/a	n/a	n/a	n/a	n/a	direct collect	1,140	42-48	1-5.5
Walker R21	21	air	6	gasoline	3	electric clutch	n/a	49	39	93	n/a	side	575	42-54	1-4
Walker S14i	14	air	6.5	EFI	1.9	MBTc+BB	n/a	43.25	42.25	87	n/a	side, mulch, collection	767	36-42	1-4
Walker S18	18	air	74	gasoline	4	MBTc+BB	n/a	49	42.25	89.25	n/a	side, mulch, collection	827	36-48	1-4
Walker C19/C19i	19	air	6.5	gasoline/EFI	4	MBTc+BB	n/a	43.25	41	89.25	n/a	side, mulch, collection	925-930	36-62	1-4
Walker T23/T27i	23-27	air	6.5	gasoline/EFI	4.7	MBTc+BB	n/a	49	41	93	n/a	side, mulch, collection	1,006-1,009	36-74	1-4
Walker D21d	21	liquid	6.5	diesel	4.7	MBTc+BB	n/a	49	41	93	n/a	side, mulch, collection	1,178	36-74	1-4
Walker B23	23	air	8	gasoline	4	electric clutch	n/a	49	42.25	90.75	n/a	side, mulch	789	36-62	1-5
Walker B27i	27	air	9	EFI	4	electric clutch	n/a	49	42.25	90.75	n/a	side, mulch	819	36-74	1-5
Walker H24d/H27/H37i	23.4-37	liquid/air	10	diesel/EFI	9.4	MBTC+BB	n/a	66	46.375	107	n/a	side, mulch, rear	1,185-1,434	52-74	1-5
Worldlawn Viper WYR246XS20BS	20	air	7		4	belt, PTO	33.8	55 w/D	44	72	3.5	side	544	46	15-4.5
Worldlawn Viper WYR246XS22KW	21.5	air	7		4	belt, PTO	33.8	55 w/D	44	72	3.5	side	544	46	15-4.5
Worldlawn Viper WYR250XL26BS	26	air	7		4	belt, PTO	33.8	59 w/D	44	72	3.5	side	590	50	15-4.5
Worldlawn Viper WYR250XL24KW	23	air	7		4	belt, PTO	33.8	59 w/D	44	72	3.5	side	590	50	15-4.5
Worldlawn Viper WYR260XL26BS	26	air	7		4	belt, PTO	33.8	68.5 w/D	44	72	3.5	side	637	60	15-4.5
Worldlawn Viper WYR260XL24KW	23	air	7		4	belt, PTO	33.8	68.5 w/D	44	72	3.5	side	637	60	15-4.5
Worldlawn Gator WY234FS600V	18	air	8		6	belt, PTO	33.5	45 w/D	43	73	4.125	side	770	34	1-4.5
Worldlawn Diamondback WYD848FR691V32	23	air	9		9.5	belt, PTO	47	60 w/D	50.5	774	6.375	side	920	48	15-4.75
Worldlawn Diamondback WYD852FR691V32	23	air	9		9.5	belt, PTO	49.5	65.5 w/D	50.5	774	6.375	side	950	52	15-4.75
Worldlawn Diamondback WYD860R730V32	24	air	9		9.5	belt, PTO	49.5	73 w/D	50.5	774	6.375	side	1,020	60	15-4.75
Worldlawn Diamondback XE WYD852R691V34E	22	air	10		9.5	belt, PTO	49.5	65.5 w/D	50.5	774	6.375	side	950	52	15-4.75
Worldlawn Diamondback XE WYD860R730V34E	23.5	air	10		9.5	belt, PTO	49.5	73 w/D	50.5	774	6.375	side	1,020	60	15-4.75
Worldlawn Cobra WY24824KWH	22	air	10		10	belt, PTO	39	60 w/D	48.6	63	6.375	side	1,026	48	15-4.5
Worldlawn Cobra WY25224KWH	22	air	10		10	belt, PTO	39	65 w/D	48.6	63	6.375	side	1,059	52	15-4.5
Worldlawn Cobra WY25227KWH	24.5	air	10		10	belt, PTO	39	65 w/D	48.6	63	6.375	side	1,056	52	15-4.5
Worldlawn Cobra WY25227KWH	24.5	air	10		10	belt, PTO	39	73 w/D	48.6	63	6.375	side	1,105	60	15-4.5
Worldlawn King Cobra WYK522X801V5	25.5	air	12		14	belt, PTO	47	65 w/D	50.5	78	5	side	1,050	52	1-5.25
Worldlawn King Cobra WYK60PXB50V5X	27	air	12		14	belt, PTO	50	73 w/D	54.5	79	5	side	1,110	60	1-5.25
Worldlawn King Cobra WYK60PXB50V5XSS	31	air	12		14	belt, PTO	50	73 w/D	54.5	79	5	side	1,110	60	1-5.25
Worldlawn Python WYP72FX1000V5	35	air	12		14	belt, PTO	63	86 w/D	61	91	6.5	side	1,550	72	1-5.5
Worldlawn Python WYP72MX825EV5	34	air	12		14	belt, PTO	63	86 w/D	61	91	6.5	side	1,550	72	1-5.5
Worldlawn Python WYP72MX825EV5R0	34	air	12		14	belt, PTO	63	86 w/D	61	91	6.5	rear	1,570	72	1-5.5
Worldlawn Python WYP72BSV3/VE5R0	37	air	12		14	belt, PTO	63	86 w/D	61	91	6.5	rear	1,570	72	1-5.5
Wright ZX (with ROPS) 52	40	air	13	gasoline	15.5	belt	n/a	53	n/a	82.5	n/a	side	1,491	52	1-6
Wright ZX (with ROPS) 61	40	air	13	gasoline	15.5	belt	n/a	62	n/a	83.5	n/a	side	1,521	61	1-6
Wright ZX (with ROPS) 72	40	air	13	gasoline	15.5	belt	n/a	73	n/a	84.5	n/a	side	1,551	72	1-6
Wright ZT0 (with ROPS) 48	23.5	air	10.5	gasoline	13.5	belt	n/a	49	n/a	78	n/a	side	1,080	48	1-5.5
Wright ZT0 (with ROPS) 52	23.5	air	10.5	gasoline	13.5	belt	n/a	53	n/a	78	n/a	side	1,102	52	1-5.5
Wright ZT0 (with ROPS) 61	23.5	air	10.5	gasoline	13.5	belt	n/a	62	n/a	78	n/a	side	1,157	61	1-5.5

2021 ZERO-TURN MOWER COMPARISON CHART - STANDER MODELS

Model	Horsepower	Width of cut (in.)	Height of cut (in.)	Forward speed (mph)	Cooling	Fuel capacity (gal)	Overall length (in.)
Bob-Cat QuickCat 4000	19-26	36-61	1.5-4.5	9-10.5	air	51-6.5	64-68
Dixie Chopper Stryker 2548KWE	25	48	1.5-5	3.1	air	6	70.5
Dixie Chopper Stryker 2548KWE	25	54	1.5-5	3.5	air	6	70.5
Encore Rage ER32FS600V	18	32	1.5-5	8	air	4.5	67.5
Encore Rage ER36FS600VL	18	36	1.5-5	8	air	4.5	67.5
Encore Rage ER48FX730VX	23.5	48	1.5-5	10.5	air	8	74
Encore Rage ER52FX730VX	23.5	52	1.5-5	10.5	air	8	74
Encore Rage ER60FX730VX	23.5	60	1.5-5	10.5	air	8	74
Exmark Staris E-Series	n/a	32; 36; 44	1.5-5	7.5	air	5	58.1-61.7
Exmark Staris S-Series	n/a	48; 52; 60	1.5-5	10	air	10	69.3-70.5
Ferris SRS Z1	19-23	36, 48	1.75-4.5	0-8	air	6	63.75, 65
Ferris SRS Z2	25.5-28	52, 61	1.75-5	0-10	air	8	67.72, 7.75
Ferris SRS Z3	29.5-37	52, 61, 72	1.75-5	0-12	air	11	69, 73.75
Gravely Pro-Stance 32, 36	18.5	32, 36	1.5-5	8	air	6	63
Gravely Pro-Stance 48-60	23.5-26	48, 52, 60	1.5-5	9	air	9	67.72
Husqvarna V548	24.5	48	1 in - 5 in	11	air	7	57
Husqvarna V544	24.5	54	1 in - 5 in	11	air	7	57
Hustler Super S Kawasaki FS541	15	36	1.5-5.5	8	air	6.5	63.5
Hustler Super S Kawasaki FX600	19	36	1.5-5.5	8	air	6.5	63.5
Hustler Super S Kawasaki FX691	22	48	1.5-5.5	9	air	7.3	68
Hustler Super S Kawasaki FX691	22	52	1.5-5.5	9	air	7.3	68
Hustler Super S Kawasaki FX850	27	52	1.5-5.5	9	air	7.3	68
Hustler Super S Kawasaki FX850 EFI	29.5	52	1.5-5.5	9	air	7.3	68
Hustler Super S Kawasaki FX850	27	60	1.5-5.5	9	air	7.3	70.75
Hustler Super S Kawasaki FX850 EFI	29.5	60	1.5-5.5	9	air	7.3	70.75
Jacobsen Pro Series SZT 2548	25	48	1.5-5	8	air	6	79
John Deere 652E	22	52	1.5-5	0.9.5	air	5.6	66
John Deere 636M	18.5	36	1.5-5	0.8.2	air	5.5	62
John Deere 648M	22	48	1.5-5	0.8.2	air	5.5	59.75
John Deere 652M	22	52	1.5-5	0.8.2	air	5.5	59.75
John Deere 648R	22	48	1.5-5	0.9.6	air	5.6	66
John Deere 652R	23.5	52	1.5-5	0.9.6	air	5.6	66
John Deere 652R EFI	25	52	1.5-5	0.9.5	air	5.6	66
John Deere 661R	23.5	61	1.5-5	0.9.6	air	5.6	68
John Deere 661R EFI	25	61	1.5-5	0.9.6	air	5.6	68
Scag V-Ride II - Kawasaki FX	16	32	1.5-4.5	8.5	air	5	65.25
Scag V-Ride II - Kawasaki FX	19	36	1.5-4.5	8.5	air	6.75	65.25
Scag V-Ride II - Kawasaki FX	22	48	1.5-4.5	8.5	air	8	67.5
Scag V-Ride II - Kohler Command Pro EFI	25	52	1.5-4.5	8.5	air	8	69.5
Scag V-Ride II - Kawasaki FT EFI	26	52	1.5-4.5	8.5	air	8	69.5
Scag V-Ride II - Briggs Vanguard Big Block EFI	37	52	1.5-4.5	8.5	air	8	69.5
Scag V-Ride II - Kawasaki FX	25	61	1.5-4.5	8.5	air	8	72.75
Scag V-Ride II - Briggs Vanguard Big Block EFI	37	61	1.5-4.5	8.5	air	8	72.75
Scag V-Ride II - Kawasaki FX EFI	38	61	1.5-4.5	8.5	air	8	72.75
Snapper Pro SS100	19-23	36, 48	1.75-4.5	0-8	air	6	63.75, 65
Snapper Pro SS200	25.5-28	52, 61	1.75-5	0-10	air	8	67, 72.75
Toro GrandStand 74534	15	36	1-5	8	air	7.8	74
Toro GrandStand 74536	15	40	1-5	8	air	7.8	70
Toro GrandStand 74504 (79504 CARB)	22	48	1.5-5	10	air	10.5	75
Toro GrandStand 74505 (79505 CARB)	22	52	1.5-5	10	air	10.5	75
Toro GrandStand 74508 (79508 CARB)	23	48	1.5-5	10	air	10.5	75
Toro GrandStand 74519	25	52	1.5-5	10	air	10.5	75
Toro GrandStand 74513	25	60	1.5-5	10	air	10.5	79
Toro GrandStand Multi Force 74523	26.5	60	1.5-5	10	air	10.5	79
Toro GrandStand Multi Force 74529	26.5	52	1.5-5	10	air	10.5	75
Toro GrandStand Multi Force 74527 (snow-only)	26.5	n/a	1.5-5	10	air	10.5	75
Worldlawn Venom WYS32FS600VL	18	32	1.5-5	8	air	4.5	67.5
Worldlawn Venom WYS36FS600VL	18	36	1.5-5	8	air	4.5	67.5
Worldlawn Venom WYS48FX730VX	23.5	48	1.5-5	10.5	air	8	74
Worldlawn Venom WYS52FX730VX	23.5	52	1.5-5	10.5	air	8	74
Worldlawn Venom WYS60FX730VX	23.5	60	1.5-5	10.5	air	8	74
Wright WS848/52	22	48, 52	2-5	7	air	5	65.75, 65.75
Wright WS832/36	18.5	32, 36	2-5	7	air	5	66.5
Wright WS2/3/6	18.5	32, 36	1.75-4.5	7.5	air	5.5	58, 60
Wright WS48	23.5	48	1.25-5	9.5	air	5.5	59.25
Wright WS52	23.5	52	1.25-5	9.5	air	5.5	59.87
Wright WSTN36/42	19	36, 42	1-5	8.2	air	5.5	62, 70
Wright WSTX48/52/61	23.5, 28	48, 52, 61	1.5-5.5	9.5	air	8	65, 66, 67
Wright WSPX48/52/61	23.5	48, 52, 61	1.5-5.5	9.5	air	8	68, 69, 70.5
Wright WSZK52/61/72	27, 37	52, 61, 72	1.5-5.5	12.5	air	15.5	67, 69.5, 72

CC: cubic centimeters; D: deflector; MBTC+BB: manual belt tightener clutch and band brake; PTO: power take-off; VB/EM 200: V-belt/electro-magnetic, 200 lb./ft.

To download a copy of these comparison charts, go to www.igin.com/2021-mower-comparison-charts.





IRRIGATION &
green industry[®]

www.igin.com

Phone: 703.536.7080 | Fax: 703.536.7019

8280 Willow Oaks Corporate Drive, Suite 630, Fairfax, VA 22031